




Jacket



**Quality made in Germany ...
... Quality made by PARSCH**

PARSCH Schläuche - Armaturen GmbH & Co. KG
Gildestraße 16, 49477 Ibbenbüren, Germany
www.parsch.de



If you are looking for the perfect hose, we will be happy to help you.
As our company slogan states:

Quality made in Germany ...
... Quality made by PARSCH

our products have been used for a wide variety of applications since 1765. Please contact us for further information and advice, because not every hose is the same.

PARSCH GmbH & Co. KG
Schläuche - Armaturen
Gildestraße 16
49477 Ibbenbüren
Germany

www.parsch.de



Contact persons: International Sales



Holgar Herda

E-Mail: herda@parsch.de
Telephone: +49 (0) 5451 / 929-224



Lisa Plake

E-Mail: plake@parsch.de
Telephone: +49 (0) 5451 / 929-226

Quality made in Germany ...
... Quality made by PARSCH



Jacket

JACKET N, uncoated

Polyester jacket with/without thread

JACKET K, coloured

Polyester jacket with/without thread

TABLE OF CONTENTS



Jacket:

100 % polyester high tenacity yarn, circular woven, warp threads 2-ply or 3-ply twisted, twill or plain weave

Exterior:

uncoated

Applications:

bundling of cables and wires, as protection hose for chains, ropes, steel wire ropes or hydraulic hoses, mechanical engineering, building construction, electrical and cable industry

Inner thread:

to assist with the pulling trough of objects

**JACKET N
uncoated**

multi-purpose jacket with/without inner thread



Characteristics:

abrasion resistant, lightweight and flexible, ageing and ozone resistant, external resistance to oil, fuel and chemical products

Temperature:

cold resistant to - 30 °C
heat resistant up to + 100 °C (temporarily higher)

inner diameter mm	inner diameter inch	flat width * mm	weight ** approx. g/m	wall thickness *** mm
19	3/4	30	58	1,00
25	1	41	67	1,00
32	1 1/4	53	80	1,00
38	1 1/2	60	88	1,00
42	1 2/3	66	100	1,00
45	1 3/4	70	115	1,00
52	2	82	130	1,00
65	2 1/2	101	191	1,00
70	2 3/4	110	205	1,00
75	3	118	215	1,00
90	3 1/2	141	260	1,00
102	4	159	355	1,00
110	4 1/3	171	375	1,00
125	5	194	410	1,00
152	6	237	495	1,00

* Tolerance ± 2 mm
** Tolerance ± 10 %
*** Tolerance ± 0,3 mm





Jacket:

100 % polyester high tenacity yarn, circular woven, warp threads 2-ply twisted, twill weave

Exterior:

coloured, thin Polyurethane coating to fix the jacket

Applications:

bundling of cables and wires, as protection hose for chains, ropes, steel wire ropes or hydraulic hoses, mechanical engineering, building construction, electrical and cable industry

Inner thread:

to assist with the pulling trough of objects

**JACKET K
coloured**

multi-purpose jacket with/without inner thread



Characteristics:

abrasion resistant, lightweight and flexible, ageing and ozone resistant, external resistance to oil, fuel and chemical products

Temperature:

cold resistant to - 30 °C
heat resistant up to + 100 °C (temporarily higher)

inner diameter mm	inner diameter inch	flat width * mm	weight ** approx. g/m	wall thickness *** mm
38	1 1/2	60	95	1,00
52	2	82	145	1,00
65	2 1/2	101	164	1,00
75	3	118	241	1,00
90	3 1/2	141	269	1,00
102	4	159	304	1,00
110	4 1/3	171	403	1,00
125	5	194	458	1,00
152	6	237	574	1,00

* Tolerance ± 2 mm
** Tolerance ± 10 %
*** Tolerance ± 0,3 mm



Quality made in Germany ...
... Quality made by PARSCH



PARSCH Schläuche - Armaturen GmbH & Co. KG
Gildestraße 16, 49477 Ibbenbüren, Germany
www.parsch.de